

```

<?versión xml="1.0" codificación="UTF-8"?>
<wsdl:definitions targetNamespace="http://tempuri.org/"
xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/" xmlns:tm="http://microsoft.com/wsdl
/mime/textMatching/" xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:mime="http://schemas.xmlsoap.org/wsdl/mime/" xmlns:tns="http://tempuri.org/"
xmlns:s="http://www.w3.org/2001/XMLSchema" xmlns:soap12="http://schemas.xmlsoap.org/wsdl/soap12/"
xmlns:http="http://schemas.xmlsoap.org/wsdl/http/" xmlns:wsd="http://schemas.xmlsoap.org/wsdl/"
  <wsdl:tipos>
    <s:schema elementFormDefault="calificado" targetNamespace="http://tempuri.org/">
      <s:nombre del elemento="AMClaimRadicated">
        <s:tipocomplejo>
          <s:secuencia>
            <s:elemento minOccurs="0" maxOccurs="1" name="_ClaimRadicatedRequest"
tipo="tns:ClaimRadicatedRequest"/>
          </s:secuencia>
        </s:tipocomplejo>
      </s:elemento>
      <s:complexType name="ReclamaciónRadicadaSolicitud">
        <s:secuencia>
          <s:elemento minOccurs="0" maxOccurs="1" nombre="Encabezados"
tipo="tns:Encabezados"/>
          <s:elemento minOccurs="0" maxOccurs="1" nombre="ReclamaciónRadicación"
tipo="tns:ReclamaciónRadicación"/>
        </s:secuencia>
      </s:complexType>
      <s:complexType name="HeaderS">
        <s:contenidocomplejo mezclado="falso">
          <s:extensión base="tns:MasterBase">
            <s:secuencia>
              <s:elemento minOccurs="0" maxOccurs="1" nombre="sCodUsuario"
tipo="s:cadena"/>
              <s:elemento minOccurs="0" maxOccurs="1" nombre="sFechaRegistro"
tipo="s:cadena"/>
              <s:elemento minOccurs="1" maxOccurs="1" nombre="iProcess" nillable="true"
tipo="s:int"/>
            </s:secuencia>
          </s:extensión>
        </s:contenidocomplejo>
      </s:tipocomplejo>
      <s:complejoTipo nombre="BaseMaestra"/>
      <s:complexType name="Lista de vehículos">
        <s:contenidocomplejo mezclado="falso">
          <s:extensión base="tns:MasterBase">
            <s:secuencia>
              <s:elemento minOccurs="1" maxOccurs="1" nombre="iTipoOperacion"
nillable="true" tipo="s:int"/>
              <s:elemento minOccurs="0" maxOccurs="1" nombre="sNumRadicadoInicial"
tipo="s:cadena"/>
              <s:elemento minOccurs="0" maxOccurs="1" nombre="sPlaca" tipo="s:cadena"/>
              <s:elemento minOccurs="0" maxOccurs="1" nombre="sNomApellidoConductor"
tipo="s:cadena"/>
              <s:elemento minOccurs="1" maxOccurs="1" nombre="iNroLicencia" nillable="true"
tipo="s:int"/>
              <s:elemento minOccurs="0" maxOccurs="1" nombre="sVectoLicencia"
tipo="s:cadena"/>
              <s:elemento minOccurs="1" maxOccurs="1" nombre="iEdad" nillable="true"
tipo="s:int"/>
              <s:elemento minOccurs="0" maxOccurs="1" nombre="sGenero" tipo="s:cadena"/>
            </s:secuencia>
          </s:extensión>
        </s:contenidocomplejo>
      </s:tipocomplejo>
      <s:complexType name="Información de reclamación">
        <s:contenidocomplejo mezclado="falso">

```

```

    <s:extensi3n base="tns:MasterBase">
      <s:secuencia>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iTipoOperacion"
tipo="s:int"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sNumRadicadoInicial"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodSucursal" tipo="s:int"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodRamo" tipo="s:int"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iNroStro"
nillable="verdadero" tipo="s:int"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iAnioEjercicio"
nillable="true" tipo="s:int"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodCausa" tipo="s:int"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sFecInspecStro"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sFecDenuncia"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="iNroDenuncia"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sObservacionStro"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sDetalleStroDesc"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iRamoTecnico" tipo="s:int"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodMoneda" tipo="s:int"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sDireccionUbc"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodPaisUbc" tipo="s:int"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodDeptoUbc" tipo="s:int"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodMunicUbc" tipo="s:int"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sNomApellidoConductor"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iNroLicencia" nillable="true"
tipo="s:int"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sVectoLicencia"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iEdad" nillable="true"
tipo="s:int"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sGenero" tipo="s:cadena"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sPlaca" tipo="s:cadena"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodOcupacion"
nillable="true" tipo="s:int"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iEstadoSiniestro"
tipo="s:int"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="OtrosVehiculosLista"
tipo="tns:ArrayOfVehiculesList"/>
      </s:secuencia>
    </s:extensi3n>
  </s:contenidocomplejo>
</s:tipocomplejo>
<s:complexType name="ArrayOfVehiculesList">
  <s:secuencia>
    <s:elemento minOcurrencias="0" maxOcurrencias="ilimitado" nombre="ListaVehiculos"
type="tns:ListaVehiculos"/>
  </s:secuencia>
</s:tipocomplejo>
<s:complexType name="Documento Adicional">
  <s:contenidocomplejo mezclado="falso">
    <s:extensi3n base="tns:MasterBase">
      <s:secuencia>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sNumRadicadoInicial"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodDocumento"
nillable="true" tipo="s:int"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sNombreDocumento"

```

```

tipo="s:cadena"/>
    <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sFecRecibido"
tipo="s:cadena"/>
    </s:secuencia>
    </s:extensión>
    </s:contenidocomplejo>
</s:tipocomplejo>
<s:complexType name="Documentos">
    <s:contenidocomplejo mezclado="falso">
        <s:extensión base="tns:MasterBase">
            <s:secuencia>
                <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sNumRadicadoInicial"
tipo="s:cadena"/>
                <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodDocumento"
nillable="true" tipo="s:int"/>
                <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iRecibido" nillable="true"
tipo="s:int"/>
                <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sFecRecibido"
tipo="s:cadena"/>
                </s:secuencia>
                </s:extensión>
            </s:contenidocomplejo>
        </s:tipocomplejo>
        <s:complexType name="Tercera Víctima">
            <s:contenidocomplejo mezclado="falso">
                <s:extensión base="tns:MasterBase">
                    <s:secuencia>
                        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iTipoOperacion"
tipo="s:int"/>
                        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sIdLote" tipo="s:cadena"/>
                        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sNumRadicadoInicial"
tipo="s:cadena"/>
                        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodTerceroSUP"
tipo="s:int"/>
                        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iTipoDocumento"
tipo="s:int"/>
                        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sNroDocumento"
tipo="s:cadena"/>
                        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sApellido1" tipo="s:cadena"/>
                        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sApellido2" tipo="s:cadena"/>
                        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sNombres" tipo="s:cadena"/>
                        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sRazonSocial"
tipo="s:cadena"/>
                        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sFecNacimiento"
tipo="s:cadena"/>
                        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iEstadoCivil" nillable="true"
tipo="s:int"/>
                        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodActividadCIIU"
nillable="true" tipo="s:int"/>
                        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodTipoDireccion"
nillable="true" tipo="s:int"/>
                        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sDirección" tipo="s:cadena"/>
                        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodPais" nillable="true"
tipo="s:int"/>
                        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodDepto"
nillable="verdadero" tipo="s:int"/>
                        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodMunicipio"
nillable="true" tipo="s:int"/>
                        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodTipoTelefono"
nillable="true" tipo="s:int"/>
                        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sTelefono" tipo="s:cadena"/>
                        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iConocimientoCliente"
nillable="true" tipo="s:int"/>
                        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodTipoExoneracion"
nillable="true" tipo="s:int"/>

```

```

    <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodTipoVictima"
nillable="verdadero" tipo="s:int"/>
    <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodCategoria"
nillable="true" tipo="s:int"/>
    <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodEmpresa" nillable="true"
tipo="s:int"/>
    <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sFecIngresoPol"
tipo="s:cadena"/>
    <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sFecAltaPol"
tipo="s:cadena"/>
    <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sSalario" tipo="s:cadena"/>
    </s:secuencia>
    </s:extensión>
    </s:contenidocomplejo>
</s:tipocomplejo>
<s:complexType name="Radicado">
    <s:contenidocomplejo mezclado="falso">
    <s:extensión base="tns:MasterBase">
    <s:secuencia>
    <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iTipoOperacion"
tipo="s:int"/>
    <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sIdLote" tipo="s:cadena"/>
    <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sRadicado" tipo="s:cadena"/>
    <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iSucEmision" type="s:int"/>
    <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodRamo" tipo="s:int"/>
    <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iPolizaSise" tipo="s:int"/>
    <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iNroCarnet" nillable="true"
tipo="s:int"/>
    <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iNroEndoso" tipo="s:int"/>
    <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sFechaSiniestro"
tipo="s:cadena"/>
    <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sHoraSiniestro"
tipo="s:cadena"/>
    <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sFechaAviso"
tipo="s:cadena"/>
    <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodAmparo" tipo="s:int"/>
    <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iEnviarAuditoriaMedica"
type="s:int"/>
    <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sFechaIngresoIPS"
tipo="s:cadena"/>
    <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sFechaEgresoIPS"
tipo="s:cadena"/>
    <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="TerceraVictima"
type="tns:TerceraVictima"/>
    <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="ListMandatoryDoc"
type="tns:ArrayOfDocuments"/>
    <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="ListOptionalDocs"
type="tns:ArrayOfAdditionalDoc"/>
    <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="Información de reclamo"
type="tns:Información de reclamo"/>
    </s:secuencia>
    </s:extensión>
    </s:contenidocomplejo>
</s:tipocomplejo>
<s:complexType name="ArrayOfDocuments">
    <s:secuencia>
    <s:elemento minOcurrencias="0" maxOcurrencias="ilimitado" nombre="Documentos"
tipo="tns:Documentos"/>
    </s:secuencia>
</s:tipocomplejo>
<s:complexType name="ArrayOfAdditionalDoc">
    <s:secuencia>
    <s:elemento minOcurrencias="0" maxOcurrencias="ilimitado" nombre="Documento Adicional"
type="tns:Documento Adicional"/>
    </s:secuencia>

```

```

</s:tipocomplejo>
<s:complexType name="Detalles">
  <s:contenidocomplejo mezclado="falso">
    <s:extensión base="tns:MasterBase">
      <s:secuencia>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iTipoOperacion"
tipo="s:int"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sIdLote" tipo="s:cadena"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sNumRadicadoInicial"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iTipoDocumentoCob"
tipo="s:int"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sNroDocumentoCob"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sFechaDocCobro"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sValorDocCobro"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sValReconclidera"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="Radicado"
tipo="tns:Radicado"/>
      </s:secuencia>
    </s:extensión>
  </s:contenidocomplejo>
</s:tipocomplejo>
<s:complexType name="Lotes">
  <s:contenidocomplejo mezclado="falso">
    <s:extensión base="tns:MasterBase">
      <s:secuencia>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iTipoOperacion"
tipo="s:int"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodTipoLote" tipo="s:int"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sIdLote" tipo="s:cadena"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodSucursal" tipo="s:int"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iNroReclamamos"
tipo="s:int"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sFecRecepcion"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sNomReclamante"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="ListLotDetail"
type="tns:ArrayOfDetails"/>
      </s:secuencia>
    </s:extensión>
  </s:contenidocomplejo>
</s:tipocomplejo>
<s:complexType name="ArrayOfDetails">
  <s:secuencia>
    <s:elemento minOcurrencias="0" maxOcurrencias="ilimitado" nombre="Detalles"
tipo="tns:Detalles"/>
  </s:secuencia>
</s:tipocomplejo>
<s:complexType name="Información del reclamante">
  <s:contenidocomplejo mezclado="falso">
    <s:extensión base="tns:MasterBase">
      <s:secuencia>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iTipoOperacion"
tipo="s:int"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iTipoDocumento"
tipo="s:int"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sNroDocumento"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodRol" tipo="s:int"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodPersona" nillable="true"

```

```

tipo="s:int"/>
  <s:elemento minOccurs="0" maxOccurs="1" nombre="sApellido1" tipo="s:cadena"/>
  <s:elemento minOccurs="0" maxOccurs="1" nombre="sApellido2" tipo="s:cadena"/>
  <s:elemento minOccurs="0" maxOccurs="1" nombre="sNombres" tipo="s:cadena"/>
  <s:elemento minOccurs="0" maxOccurs="1" nombre="sRazonSocial"
tipo="s:cadena"/>
  <s:elemento minOccurs="0" maxOccurs="1" nombre="sFecNacimiento"
tipo="s:cadena"/>
  <s:elemento minOccurs="1" maxOccurs="1" nombre="iEstadoCivil" nillable="true"
tipo="s:int"/>
  <s:elemento minOccurs="1" maxOccurs="1" nombre="iCodActividadCIIU"
nillable="true" tipo="s:int"/>
  <s:elemento minOccurs="1" maxOccurs="1" nombre="iCodTipoDireccion"
nillable="true" tipo="s:int"/>
  <s:elemento minOccurs="0" maxOccurs="1" nombre="sDirección" tipo="s:cadena"/>
  <s:elemento minOccurs="1" maxOccurs="1" nombre="iCodPais" nillable="true"
tipo="s:int"/>
  <s:elemento minOccurs="1" maxOccurs="1" nombre="iCodDepto"
nillable="verdadero" tipo="s:int"/>
  <s:elemento minOccurs="1" maxOccurs="1" nombre="iCodMunicipio"
nillable="true" tipo="s:int"/>
  <s:elemento minOccurs="1" maxOccurs="1" nombre="iCodTipoTelefono"
nillable="true" tipo="s:int"/>
  <s:elemento minOccurs="0" maxOccurs="1" nombre="sTelefono" tipo="s:cadena"/>
  <s:elemento minOccurs="1" maxOccurs="1" nombre="iConocimientoCliente"
nillable="true" tipo="s:int"/>
  <s:elemento minOccurs="1" maxOccurs="1" nombre="iCodTipoExoneracion"
nillable="true" tipo="s:int"/>
  </s:secuencia>
</s:extensión>
</s:contenidocomplejo>
</s:tipocomplejo>
<s:complexType name="ClaimRadication">
  <s:contenidocomplejo mezclado="falso">
    <s:extensión base="tns:MasterBase">
      <s:secuencia>
        <s:elemento minOccurs="0" maxOccurs="1" nombre="Información del reclamante"
type="tns:Información del reclamante"/>
        <s:elemento minOccurs="0" maxOccurs="1" nombre="Lotes" type="tns:Lotes"/>
      </s:secuencia>
    </s:extensión>
  </s:contenidocomplejo>
</s:tipocomplejo>
<s:nombre del elemento="AMClaimRadicatedResponse">
  <s:tipocomplejo>
    <s:secuencia>
      <s:elemento minOccurs="0" maxOccurs="1" nombre="AMClaimRadicatedResult"
type="tns:ClaimRadicatedResponse"/>
    </s:secuencia>
  </s:tipocomplejo>
</s:elemento>
<s:complexType name="ClaimRadicatedResponse">
  <s:secuencia>
    <s:elemento minOccurs="1" maxOccurs="1" nombre="iNumSiniestro" tipo="s:int"/>
    <s:elemento minOccurs="0" maxOccurs="1" nombre="sNumRadicado" tipo="s:cadena"/>
    <s:elemento minOccurs="0" maxOccurs="1" nombre="sNumRadicadoInicial"
tipo="s:cadena"/>
    <s:elemento minOccurs="0" maxOccurs="1" nombre="sNumLote" tipo="s:cadena"/>
    <s:elemento minOccurs="1" maxOccurs="1" nombre="iAnioEjercicio" tipo="s:int"/>
    <s:elemento minOccurs="1" maxOccurs="1" nombre="iIdStro" tipo="s:int"/>
    <s:elemento minOccurs="1" maxOccurs="1" nombre="iDuplicarCasoExterno"
tipo="s:int"/>
    <s:elemento minOccurs="0" maxOccurs="1" nombre="sNombreRamo" tipo="s:cadena"/>
    <s:elemento minOccurs="0" maxOccurs="1" nombre="sNombreAmparo" type="s:string"/>
    <s:elemento minOccurs="0" maxOccurs="1" nombre="RespuestaMensaje"

```

```

tipo="tns:RespuestaMensaje"/>
  </s:secuencia>
</s:tipocomplejo>
<s:complexType name="Mensaje de respuesta">
  <s:secuencia>
    <s:elemento minOccurs="1" maxOccurs="1" nombre="iCodigoRespuesta" type="s:int"/>
    <s:elemento minOccurs="0" maxOccurs="1" nombre="ListaMensaje"
tipo="tns:ArrayOfMessage"/>
  </s:secuencia>
</s:tipocomplejo>
<s:complexType name="ArrayOfMessage">
  <s:secuencia>
    <s:elemento minOccurs="0" maxOccurs="ilimitado" nombre="Mensaje"
tipo="tns:Mensaje"/>
  </s:secuencia>
</s:tipocomplejo>
<s:complexType name="Mensaje">
  <s:secuencia>
    <s:elemento minOccurs="1" maxOccurs="1" nombre="iTipoMensaje" type="s:int"/>
    <s:elemento minOccurs="0" maxOccurs="1" nombre="sDescripción" tipo="s:cadena"/>
  </s:secuencia>
</s:tipocomplejo>
<s:element name="AuthenticationAbril" type="tns:AuthenticationAbril"/>
<s:complexType name="AuthenticationAbril">
  <s:secuencia>
    <s:elemento minOccurs="1" maxOccurs="1" nombre="AplicaciónId" tipo="s:int"/>
    <s:elemento minOccurs="0" maxOccurs="1" nombre="AplicaciónClave"
tipo="s:cadena"/>
  </s:secuencia>
  <s:cualquieratributo/>
</s:tipocomplejo>
<s:nombre del elemento="AMRADsLoad">
  <s:tipocomplejo>
    <s:secuencia>
      <s:elemento minOccurs="0" maxOccurs="1" nombre="_RADsLoadRequest"
tipo="tns:RADsLoadRequest"/>
    </s:secuencia>
  </s:tipocomplejo>
</s:elemento>
<s:complexType name="RADsLoadRequest">
  <s:secuencia>
    <s:elemento minOccurs="0" maxOccurs="1" nombre="HeaderDS" type="tns:HeaderDS"/>
    <s:elemento minOccurs="0" maxOccurs="1" nombre="RAD" tipo="tns:RAD"/>
  </s:secuencia>
</s:tipocomplejo>
<s:complexType name="HeaderDS">
  <s:contenidocomplejo mezclado="falso">
    <s:extensión base="tns:MasterBase">
      <s:secuencia>
        <s:elemento minOccurs="0" maxOccurs="1" nombre="sCodUsuario"
tipo="s:cadena"/>
        <s:elemento minOccurs="0" maxOccurs="1" nombre="sFechaRegistro"
tipo="s:cadena"/>
        <s:elemento minOccurs="1" maxOccurs="1" nombre="iProcess" nillable="true"
tipo="s:int"/>
      </s:secuencia>
    </s:extensión>
  </s:contenidocomplejo>
</s:tipocomplejo>
<s:complexType name="RAD">
  <s:contenidocomplejo mezclado="falso">
    <s:extensión base="tns:MasterBase">
      <s:secuencia>
        <s:elemento minOccurs="0" maxOccurs="1" nombre="ListaRADs"
tipo="tns:ArrayOfRAD2"/>

```

```

    </s:secuencia>
  </s:extensión>
</s:contenidocomplejo>
</s:tipocomplejo>
<s:complejoTipo nombre="ArrayOfRAD2">
  <s:secuencia>
    <s:elemento minOcurrencias="0" maxOcurrencias="ilimitado" nombre="RAD2" tipo="tns:RAD2"/>
  </s:secuencia>
</s:tipocomplejo>
<s:tipocomplejo nombre="RAD2">
  <s:contenidocomplejo mezclado="falso">
    <s:extensión base="tns:MasterBase">
      <s:secuencia>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sNumEnvio" tipo="s:cadena"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sNumRadicadoInicial"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sValorDocCobro"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sValorObjecion"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sValorSugerido"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodEstadoRecl"
tipo="s:int"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="ListaRAD3"
tipo="tns:ArrayOfRAD3"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="ListaRAD4"
tipo="tns:ArrayOfRAD4"/>
      </s:secuencia>
    </s:extensión>
  </s:contenidocomplejo>
</s:tipocomplejo>
<s:complejoTipo nombre="ArrayOfRAD3">
  <s:secuencia>
    <s:elemento minOcurrencias="0" maxOcurrencias="ilimitado" nombre="RAD3" tipo="tns:RAD3"/>
  </s:secuencia>
</s:tipocomplejo>
<s:complejoTipo nombre="RAD3">
  <s:contenidocomplejo mezclado="falso">
    <s:extensión base="tns:MasterBase">
      <s:secuencia>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sNumRadicadoInicial"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iNumItemDocumento"
tipo="s:int"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodTarifario" type="s:int"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sDescripTarifario"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iNroCantidadItem"
tipo="s:int"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sCptoObjecionItem"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iTipoObjecion" tipo="s:int"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sValorItemTarifa"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sValorItemRecl"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sFechaAprobacion"
type="s:string"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sValorAprobadoItem"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sValorObjetadoItem"
tipo="s:cadena"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sCptoAuditoria"
tipo="s:cadena"/>
      </s:secuencia>
    </s:extensión>
  </s:contenidocomplejo>
</s:tipocomplejo>

```

```

        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iTipoAuditoria"
tipo="s:int"/>
        <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iTotalPacientesPorTipoAud"
tipo="s:int"/>
        </s:secuencia>
        </s:extensión>
        </s:contenidocomplejo>
</s:tipocomplejo>
<s:complejoTipo nombre="ArrayOfRAD4">
    <s:secuencia>
        <s:elemento minOcurrencias="0" maxOcurrencias="ilimitado" nombre="RAD4" tipo="tns:RAD4"/>
    </s:secuencia>
</s:tipocomplejo>
<s:complejoTipo nombre="RAD4">
    <s:contenidocomplejo mezclado="falso">
        <s:extensión base="tns:MasterBase">
            <s:secuencia>
                <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sNumRadicadoInicial"
tipo="s:cadena"/>
                <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iNumItemDocumento"
tipo="s:int"/>
                <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodObjecionMedica"
type="s:int"/>
                <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sValorObjecionMedItem"
tipo="s:cadena"/>
                <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sCptoObjecionMedItem"
tipo="s:cadena"/>
                <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sObsObjecionMedItem"
tipo="s:cadena"/>
                <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sObsReconsideracion"
type="s:string"/>
                <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iTotalPacientesPorObjecion"
type="s:int"/>
            </s:secuencia>
        </s:extensión>
    </s:contenidocomplejo>
</s:tipocomplejo>
<s:nombre del elemento="AMRADsLoadResponse">
    <s:tipocomplejo>
        <s:secuencia>
            <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="AMRADsLoadResult"
type="tns:RADsLoadResponse"/>
        </s:secuencia>
    </s:tipocomplejo>
</s:elemento>
<s:complexType name="RADsLoadResponse">
    <s:secuencia>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="ResultLoadList"
type="tns:ArrayOfResultLoad"/>
        <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="RespuestaMensaje"
tipo="tns:RespuestaMensaje"/>
    </s:secuencia>
</s:tipocomplejo>
<s:complexType name="ArrayOfResultLoad">
    <s:secuencia>
        <s:elemento minOccurs="0" maxOccurs="ilimitado" name="ResultLoad" nillable="true"
type="tns:ResultLoad"/>
    </s:secuencia>
</s:tipocomplejo>
<s:complexType name="ResultLoad">
    <s:contenidocomplejo mezclado="falso">
        <s:extensión base="tns:MasterBase">
            <s:secuencia>
                <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sNumEnvio" tipo="s:cadena"/>
                <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sNumRadicadoInicial"

```

```

tipo="s:cadena"/>
    <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iCodEstadoRecl"
tipo="s:int"/>
    <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iTipoDocumento"
tipo="s:int"/>
    <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sNroDocumento"
tipo="s:cadena"/>
    <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="iTipoDocumentoCob"
tipo="s:int"/>
    <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sNroDocumentoCob"
tipo="s:cadena"/>
    <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sNombreRamo"
tipo="s:cadena"/>
    <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sNombreAmparo"
type="s:string"/>
    <s:elemento minOcurrencias="1" maxOcurrencias="1" nombre="icod_ramo" tipo="s:int"/>
    <s:elemento minOcurrencias="0" maxOcurrencias="1" nombre="sErrorCarga"
tipo="s:cadena"/>
    </s:secuencia>
    </s:extensión>
    </s:contenidocomplejo>
    </s:tipocomplejo>
    </s:esquema>
</wsdl:tipos>
<wsdl:mensaje nombre="AMClaimRadicatedSoapIn">
    <wsdl:nombre de parte="parámetros" elemento="tns:AMClaimRadicated"/>
</wsdl:mensaje>
<wsdl:mensaje nombre="AMClaimRadicatedSoapOut">
    <wsdl:nombre de parte="parámetros" elemento="tns:AMClaimRadicatedResponse"/>
</wsdl:mensaje>
<wsdl:message name="AMClaimRadicatedAuthenticationAbril">
    <wsdl:part name="AuthenticationAbril" element="tns:AuthenticationAbril"/>
</wsdl:mensaje>
<wsdl:mensaje nombre="AMRADsLoadSoapIn">
    <wsdl:nombre de parte="parámetros" elemento="tns:AMRADsLoad"/>
</wsdl:mensaje>
<wsdl:mensaje nombre="AMRADsLoadSoapOut">
    <wsdl:nombre de parte="parámetros" elemento="tns:AMRADsLoadResponse"/>
</wsdl:mensaje>
<wsdl:mensaje nombre="AMRADsLoadAuthenticationAbril">
    <wsdl:part name="AuthenticationAbril" element="tns:AuthenticationAbril"/>
</wsdl:mensaje>
<wsdl:portType name="AbrilPRVSoap">
    <wsdl: nombre de la operación="AMClaimRadicated">
        <wsdl:input message="tns:AMClaimRadicatedSoapIn"/>
        <wsdl:mensaje de salida="tns:AMClaimRadicatedSoapOut"/>
    </wsdl:operación>
    <wsdl:operación nombre="AMRADsLoad">
        <wsdl: mensaje de entrada = "tns: AMRADsLoadSoapIn"/>
        <wsdl:mensaje de salida="tns:AMRADsLoadSoapOut"/>
    </wsdl:operación>
</wsdl:tipodepuerto>
<wsdl:portType name="AprilPRVHttpGet"/>
<wsdl:portType name="AprilPRVHttpPost"/>
<wsdl:binding name="AbrilPRVSoap" type="tns:AbrilPRVSoap">
    <soap:transporte vinculante="http://schemas.xmlsoap.org/soap/http"/>
    <wsdl: nombre de la operación="AMClaimRadicated">
        <jabón:operación jabónAction="http://tempuri.org/AMClaimRadicated" style="document"/>
    <wsdl:entrada>
        <jabón:uso corporal="literal"/>
        <soap:header message="tns:AMClaimRadicatedAuthenticationApril" part="AuthenticationApril"
use="literal"/>
    </wsdl:entrada>
    <wsdl:salida>
        <jabón:uso corporal="literal"/>

```

```

    </wsdl:salida>
  </wsdl:operación>
  <wsdl:operación nombre="AMRADsLoad">
    <soap:operación soapAction="http://tempuri.org/AMRADsLoad" style="document"/>
    <wsdl:entrada>
      <jabón:uso corporal="literal"/>
      <soap:header message="tns:AMRADsLoadAuthenticationApril" part="AuthenticationApril"
use="literal"/>
    </wsdl:entrada>
    <wsdl:salida>
      <jabón:uso corporal="literal"/>
    </wsdl:salida>
  </wsdl:operación>
</wsdl:enlace>
<wsdl:binding name="AbrilPRVSoap12" type="tns:AbrilPRVSoap">
  <soap12:transporte vinculante="http://schemas.xmlsoap.org/soap/http"/>
  <wsdl: nombre de la operación="AMClaimRadicated">
    <soap12:operación soapAction="http://tempuri.org/AMClaimRadicated" style="document"/>
    <wsdl:entrada>
      <soap12:uso del cuerpo="literal"/>
      <soap12:header message="tns:AMClaimRadicatedAuthenticationApril" part="AuthenticationApril"
use="literal"/>
    </wsdl:entrada>
    <wsdl:salida>
      <soap12:uso del cuerpo="literal"/>
    </wsdl:salida>
  </wsdl:operación>
  <wsdl:operación nombre="AMRADsLoad">
    <soap12:operación soapAction="http://tempuri.org/AMRADsLoad" style="document"/>
    <wsdl:entrada>
      <soap12:uso del cuerpo="literal"/>
      <soap12:header message="tns:AMRADsLoadAuthenticationApril" part="AuthenticationApril"
use="literal"/>
    </wsdl:entrada>
    <wsdl:salida>
      <soap12:uso del cuerpo="literal"/>
    </wsdl:salida>
  </wsdl:operación>
</wsdl:enlace>
<wsdl:binding name="AbrilPRVHttpGet" type="tns:AbrilPRVHttpGet">
  <http:verbo vinculante="OBTENER"/>
</wsdl:enlace>
<wsdl:binding name="AprilPRVHttpPost" type="tns:AprilPRVHttpPost">
  <http:verbo vinculante="POST"/>
</wsdl:enlace>
<wsdl:nombre del servicio="AprilPRV">
  <wsdl:nombre del puerto="AprilPRVSoap" binding="tns:AprilPRVSoap">
    <soap:dirección
ubicación="https://prdesarrollo3g/PRV3291/AprilWebServices/April/AprilPRV.asmx"/>
  </wsdl:puerto>
  <wsdl:nombre del puerto="AprilPRVSoap12" vinculante="tns:AprilPRVSoap12">
    <soap12:dirección
ubicación="https://prdesarrollo3g/PRV3291/AprilWebServices/April/AprilPRV.asmx"/>
  </wsdl:puerto>
  <wsdl:nombre del puerto="AprilPRVHttpGet" binding="tns:AprilPRVHttpGet">
    <http:dirección
ubicación="https://prdesarrollo3g/PRV3291/AprilWebServices/April/AprilPRV.asmx"/>
  </wsdl:puerto>
  <wsdl:nombre del puerto="AprilPRVHttpPost" vinculante="tns:AprilPRVHttpPost">
    <http:dirección
ubicación="https://prdesarrollo3g/PRV3291/AprilWebServices/April/AprilPRV.asmx"/>
  </wsdl:puerto>
</wsdl:servicio>
</wsdl:definiciones>

```